Certi-Label Cedar Shakes



have split faces and sawn backs. Cedar logs are first cut into desired lengths. Blanks or boards of proper thickness are split and then run diagonally through a bandsaw to produce 2 tapered shapes from each blank. Avaliable in Premium Grade (100% edge grain) or Number 1 Grade (Up to 20% flat grain allowed in each bundle).

These shakes

CERTI-SPLIT
PREMIUM GRADE
100% Republish
Handsplit Red Cedar Shakes
000/08 004/08 00 00000
100 004/08 004/08 00 00000

Certi-Sawn® Tapersawn Shakes



These shakes are sawn on both sides. Premium and Number 1 grades are the most common. Premium Grade is 100% edge grain, 100% clear, and 100% heartwood. Number 1 Grade allows up to 20% flat grain in each bundle. Number 2 and 3 grades are

CERTI-SAWN
PREMIUM GRADE
100% Egg Grain
Tapersawn Red Cedar Sh aloes
cund Butte a strivola sure au

Certi-Split® Tapersplit

Produced by

also available.



Certi-Split® Straightsplit



Produced by machine or in the same manner as tapersplit shakes except that by splitting from the same end of the block, the shakes aquire the same thickness throughout. Premium Grade only.



Certigrade® Cedar Shingles

Number 1 Blue Label®



The premium grade of shingles for roofs and sidewalls. These topgrade shingles are 100% heartwood, 100% clear and 100% edge grain. Available in 16" or 18" or 24" lengths.



Number 2 Red Label

A good grade



Number 3 Black Label



A utility grade for economy applications and secondary buildings. Not less than 6" clear on 16" and 18" shingles, 10" clear on 24" shingles.



Number 4 Undercoursing



A utility grade for undercoursing of double coursed sidewalls only. Not a roofing material, and not to be used as a starter course for

roofs.

